

1000mg All Natural Tincture

Sample ID: 2007CSALA8775.7911

Strain: 1000mg Natural Tincture

Matrix: Concentrates & Extracts

Client

Type: Tincture

Produced: 06/16/2020

180 Pure

Sample Size: 1 units

Collected: 07/15/2020

Lic. #

Batch Size:

Received: 07/15/2020

20530 N. Rand Rd., #340

Batch#: NAT1000620

Completed: 07/20/2020

Deer Park, IL 60010



Summary

Pass

33.49 mg/ml Total Cannabinoids	Not Tested Pesticides	Pass Residual Solvents
Not Tested Microbials	Not Tested Mycotoxins	Pass Heavy Metals

Cannabinoids

Pass

Testing method: HPLC-SOP 101

Analyte	LOD	LOQ	Results	Results
	mg/g	mg/g	mg/ml	%
CBD	0.0059	0.018	32.79	3.39
CBDV	0.0042	0.0126	0.71	0.07
CBC	0.0009	0.0027	ND	ND
CBDa	0.0012	0.0037	ND	ND
CBG	0.0047	0.0143	ND	ND
CBGa	0.0016	0.005	ND	ND
CBN	0.0014	0.0041	ND	ND
THCa	0.002	0.006	ND	ND
THCV	0.0036	0.0111	ND	ND
Δ8-THC	0.0038	0.0115	ND	ND
Δ9-THC	0.0038	0.0115	ND	ND
Total			33.49	3.47

Terpenes

Complete

Testing method: HS-GC-FID - SOP 201

Analyte	LOD	LOQ	Results	Results
	%	%	%	mg/g
β-Caryophyllene	0.00017	0.0013	0.01	0.13
Camphene	0.00072	0.0013	ND	ND
Caryophyllene Oxide	0.00017	0.0013	ND	ND
Eucalyptol	0.00017	0.0013	ND	ND
Geraniol	0.00013	0.0013	ND	ND
Guaiol	0.00018	0.0013	ND	ND
Isopulegol	0.00011	0.0013	ND	ND
Linalool	0.00015	0.0013	ND	ND
Ocimene	0.00013	0.0013	ND	ND
p-Cymene	0.0001	0.0013	ND	ND
Terpinolene	0.00016	0.0013	ND	ND
trans-Nerolidol	0.00058	0.0013	ND	ND
α-Bisabolol	0.00015	0.0013	ND	ND
α-Humulene	0.00057	0.0013	ND	ND
α-Pinene	0.00015	0.0013	ND	ND
α-Terpinene	0.00012	0.0013	ND	ND
β-Myrcene	0.00012	0.0013	ND	ND
β-Pinene	0.00034	0.0013	ND	ND
γ-Terpinene	0.00012	0.0013	ND	ND
δ-3-Carene	0.0004	0.0013	ND	ND
δ-Limonene	0.00016	0.0013	ND	ND
Total			0.01	0.13

ND Total THC	32.79 mg/ml Total CBD
------------------------	---------------------------------

Package = 1 Dropper; Density = 0.966 g/ml;

Date Tested: 07/20/2020

Total THC = THCa * 0.877 + d9-THC

Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Date Tested: 07/17/2020

NT Moisture Moisture Analyzer SOP-103	NT Water Activity Water Activity Meter SOP-102	NT Foreign Matter Visual Inspection SOP-600
--	---	--



ISO / IEC 17025:2017 ACCREDITED
LABORATORY
Accreditation No. 73653

Mallyory Speakman
Laboratory Director - LA
07/20/2020

Anya Engen
Quality Review
07/20/2020

Cecilia Melgar
COA Review
07/20/2020

1000mg All Natural Tincture

Sample ID: 2007CSALA8775.7911

Strain: 1000mg Natural Tincture

Matrix: Concentrates & Extracts

Client

Type: Tincture

Produced: 06/16/2020

180 Pure

Sample Size: 1 units

Collected: 07/15/2020

Lic. #

Batch Size:

Received: 07/15/2020

20530 N. Rand Rd., #340

Batch#: NAT1000620

Completed: 07/20/2020

Deer Park, IL 60010

Heavy Metals

Pass

Testing method: ICPMS-SOP 502

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.02	0.06	1.5	ND	Pass
Cadmium	0.03	0.1	0.5	ND	Pass
Lead	0.002	0.005	0.5	0.017	Pass
Mercury	0.02	0.06	3	ND	Pass

Date Tested: 07/17/2020

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED
 LABORATORY
 Accreditation No. 73653

 Mallory Speakman
 Laboratory Director - LA
 07/20/2020

 Anya Engen
 Quality Review
 07/20/2020

 Cecilia Melgar
 COA Review
 07/20/2020

1000mg All Natural Tincture

Sample ID: 2007CSALA8775.7911

Strain: 1000mg Natural Tincture

Matrix: Concentrates & Extracts

Client

Type: Tincture

Produced: 06/16/2020

180 Pure

Sample Size: 1 units

Collected: 07/15/2020

Lic. #

Batch Size:

Received: 07/15/2020

20530 N. Rand Rd., #340

Batch#: NAT1000620

Completed: 07/20/2020

Deer Park, IL 60010

Residual Solvents

Pass

Testing method: HSGCMS-SOP 202

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.1	0.4	1	ND	Pass
Acetone	64.0	214.0	5000	ND	Pass
Acetonitrile	36.0	119.0	410	ND	Pass
Benzene	0.1	0.2	1	ND	Pass
Butane	42.0	141.0	5000	ND	Pass
Chloroform	0.1	0.4	1	ND	Pass
Ethanol	59.0	197.0	5000	ND	Pass
Ethyl-Acetate	43.0	144.0	5000	ND	Pass
Ethylene Oxide	0.2	0.6	1	ND	Pass
Ethyl-Ether	40.0	134.0	5000	ND	Pass
Heptane	46.0	154.0	5000	ND	Pass
Isopropanol	41.0	138.0	5000	ND	Pass
Methanol	160.0	534.0	3000	ND	Pass
Methylene-Chloride	0.1	0.4	1	ND	Pass
n-Hexane	42.0	139.0	290	ND	Pass
Pentane	69.0	229.0	5000	ND	Pass
Propane	21.0	70.0	5000	ND	Pass
Toluene	47.0	156.0	890	ND	Pass
Trichloroethene	0.1	0.4	1	ND	Pass
Xylenes	86.0	287.0	2170	ND	Pass

Date Tested: 07/17/2020

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED
 LABORATORY
 Accreditation No. 73653

 Mallory Speakman
 Laboratory Director - LA
 07/20/2020

 Anya Engen
 Quality Review
 07/20/2020

 Cecilia Melgar
 COA Review
 07/20/2020