

Focus Gummy

Sample ID: 2011CSALA3364.8503

Matrix: Ingestible

Type: Solid Product

Sample Size: 1 grams

Batch Size:

Batch#: FOGUM300

Produced: 11/02/2020

Collected: 11/16/2020

Received: 11/16/2020

Completed: 11/19/2020

Client

180 Pure

Lic. #












20530 N. Rand Rd., #340

Deer Park, IL 60010

	ND	9.1152 mg/serving	18.1446 mg/serving
	Total THC	Total CBD	Total Cannabinoids

Cannabinoids

Testing method: HPLC-SOP 101

Analyte	LOD	LOQ	Results	Results	
	mg/g	mg/g	mg/serving	mg/g	
CBD	0.0059	0.018	9.1152	3.0795	
CBG	0.0047	0.0143	8.7303	2.9494	
CBC	0.0009	0.0027	0.1244	0.0420	
CBN	0.0014	0.0041	0.0948	0.0320	
CBDV	0.0042	0.0126	0.0799	0.0270	
CBDa	0.0012	0.0037	ND	ND	
CBGa	0.0016	0.005	ND	ND	
THCa	0.002	0.006	ND	ND	
THCV	0.0036	0.0111	ND	ND	
Δ8-THC	0.0038	0.0115	ND	ND	
Δ9-THC	0.0038	0.0115	ND	ND	
Total			18.1446	6.1299	

Pass

1 serving = 1 Gummy, 2.96 grams; 30.0 servings per package; 0.0 mg/package Total THC; 273.4571 mg/package Total CBD;

Date Tested: 11/19/2020

Total THC = THCa * 0.877 + d9-THC

Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED
 LABORATORY
 Accreditation No. 73653



 Douglas Duncan
 Lab Director
 11/19/2020



 Musa Aman
 COA Review
 11/19/2020

Focus Gummy

Sample ID: 2011CSALA3364.8503

Matrix: Ingestible

Type: Solid Product

Sample Size: 1 grams

Batch Size:

Batch#: FOGUM300

Produced: 11/02/2020

Collected: 11/16/2020

Received: 11/16/2020

Completed: 11/19/2020

Client

180 Pure

Lic. #

20530 N. Rand Rd., #340

Deer Park, IL 60010

Pesticides

Pass

Testing method: LCMS & GCMS-SOP 301 and 302

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.0009	0.003	0.3	ND	Pass	Fludioxonil	0.0143	0.048	30	ND	Pass
Acephate	0.005	0.017	5	ND	Pass	Hexythiazox	0.0237	0.079	2	ND	Pass
Acequinocyl	0.0193	0.064	4	ND	Pass	Imazalil *	0.0077	0.026	0.0077	ND	Pass
Acetamiprid	0.0073	0.024	5	ND	Pass	Imidacloprid	0.0053	0.018	3	ND	Pass
Aldicarb *	0.0094	0.031	0.0094	ND	Pass	Kresoxim Methyl	0.0182	0.061	1	ND	Pass
Azoxystrobin	0.015	0.05	40	ND	Pass	Malathion	0.015	0.05	5	ND	Pass
Bifenazate	0.0129	0.043	5	ND	Pass	Metalaxyl	0.0076	0.025	15	ND	Pass
Bifenthrin	0.029	0.097	0.5	ND	Pass	Methiocarb *	0.0103	0.034	0.0103	ND	Pass
Boscalid	0.0172	0.058	10	ND	Pass	Methomyl	0.0109	0.036	0.1	ND	Pass
Captan	0.036	0.12	5	ND	Pass	Methyl Parathion *	0.0091	0.0303	0.0091	ND	Pass
Carbaryl	0.0542	0.181	0.5	ND	Pass	Mevinphos *	0.0041	0.014	0.0041	ND	Pass
Carbofuran *	0.0077	0.026	0.0077	ND	Pass	Myclobutanil	0.01	0.033	9	ND	Pass
Chlorantraniliprole	0.0095	0.032	40	ND	Pass	Naled	0.0107	0.036	0.5	ND	Pass
Chlordane *	0.0055	0.0182	0.0055	ND	Pass	Oxamyl	0.0071	0.024	0.2	ND	Pass
Chlorfenapyr *	0.0048	0.0159	0.0048	ND	Pass	Paclobutrazol *	0.0092	0.031	0.0092	ND	Pass
Chlorpyrifos *	0.0197	0.066	0.0197	ND	Pass	Pentachloronitrobenzene	0.0084	0.0279	0.2	ND	Pass
Clofentezine	0.0216	0.072	0.5	ND	Pass	Permethrin	0.0142	0.048	20	ND	Pass
Coumaphos *	0.0196	0.065	0.0196	ND	Pass	Phosmet	0.0138	0.046	0.2	ND	Pass
Cyfluthrin	0.0107	0.036	1	ND	Pass	Piperonyl Butoxide	0.0156	0.052	8	ND	Pass
Cypermethrin	0.0105	0.035	1	ND	Pass	Prallethrin	0.018	0.06	0.4	ND	Pass
Daminozide *	0.0052	0.017	0.0052	ND	Pass	Propiconazole	0.013	0.043	20	ND	Pass
DDVP *	0.0081	0.027	0.0081	ND	Pass	Propoxur *	0.0097	0.033	0.0097	ND	Pass
Diazinon	0.0134	0.045	0.2	ND	Pass	Pyrethrins	0.0025	0.008	1	ND	Pass
Dimethoate *	0.0083	0.028	0.0083	ND	Pass	Pyridaben	0.0236	0.079	3	ND	Pass
Dimethomorph	0.0025	0.008	20	ND	Pass	Spinetoram	0.0042	0.014	3	ND	Pass
Ethoprophos *	0.0112	0.037	0.0112	ND	Pass	Spinosad	0.0002	0.001	3	ND	Pass
Etofenprox *	0.0247	0.082	0.0247	ND	Pass	Spiromesifen	0.0199	0.066	12	ND	Pass
Etoxazole	0.0269	0.09	1.5	ND	Pass	Spirotetramat	0.0068	0.023	13	ND	Pass
Fenhexamid	0.0215	0.072	10	ND	Pass	Spiroxamine *	0.0065	0.022	0.0065	ND	Pass
Fenoxycarb *	0.0186	0.062	0.0186	ND	Pass	Tebuconazole	0.0099	0.033	2	ND	Pass
Fenpyroximate	0.0253	0.084	2	ND	Pass	Thiacloprid *	0.0094	0.031	0.0094	ND	Pass
Fipronil *	0.0228	0.076	0.0228	ND	Pass	Thiamethoxam	0.005	0.017	4.5	ND	Pass
Flonicamid	0.0073	0.024	2	ND	Pass	Trifloxystrobin	0.0192	0.064	30	ND	Pass

Date Tested: 11/19/2020

* Denotes Category I pesticides, which fail when detected; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED
 LABORATORY
 Accreditation No. 73653

 Douglas Duncan
 Lab Director
 11/19/2020

 Musa Aman
 COA Review
 11/19/2020

Focus Gummy

Sample ID: 2011CSALA3364.8503

Matrix: Ingestible

Type: Solid Product

Sample Size: 1 grams

Batch Size:

Batch#: FOGUM300

Produced: 11/02/2020

Collected: 11/16/2020

Received: 11/16/2020

Completed: 11/19/2020

Client

180 Pure

Lic. #

20530 N. Rand Rd., #340

Deer Park, IL 60010

Heavy Metals

Testing method: ICPMS-SOP 502

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.006	0.018	1.5	ND	Pass
Cadmium	0.003	0.011	0.5	ND	Pass
Lead	0.003	0.009	0.5	0.013	Pass
Mercury	0.01	0.033	3	ND	Pass

Date Tested: 11/19/2020

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED
 LABORATORY
 Accreditation No. 73653

 Douglas Duncan
 Lab Director
 11/19/2020

 Musa Aman
 COA Review
 11/19/2020

Focus Gummy

Sample ID: 2011CSALA3364.8503

Matrix: Ingestible

Type: Solid Product

Sample Size: 1 grams

Batch Size:

Batch#: FOGUM300

Produced: 11/02/2020

Collected: 11/16/2020

Received: 11/16/2020

Completed: 11/19/2020

Client

180 Pure

Lic. #

20530 N. Rand Rd., #340

Deer Park, IL 60010

Residual Solvents

Testing method: HSGCMS-SOP 202

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.1	0.4	1	ND	Pass
Acetone	64.0	214.0	5000	ND	Pass
Acetonitrile	36.0	119.0	410	ND	Pass
Benzene	0.1	0.2	1	ND	Pass
Butane	42.0	141.0	5000	ND	Pass
Chloroform	0.1	0.4	1	ND	Pass
Ethanol	59.0	197.0	5000	ND	Pass
Ethyl-Acetate	43.0	144.0	5000	ND	Pass
Ethylene Oxide	0.2	0.6	1	ND	Pass
Ethyl-Ether	40.0	134.0	5000	ND	Pass
Heptane	46.0	154.0	5000	ND	Pass
Isopropanol	41.0	138.0	5000	ND	Pass
Methanol	160.0	534.0	3000	ND	Pass
Methylene-Chloride	0.1	0.4	1	ND	Pass
n-Hexane	42.0	139.0	290	ND	Pass
Pentane	69.0	229.0	5000	ND	Pass
Propane	21.0	70.0	5000	ND	Pass
Toluene	47.0	156.0	890	ND	Pass
Trichloroethene	0.1	0.4	1	ND	Pass
Xylenes	86.0	287.0	2170	ND	Pass

Date Tested: 11/19/2020

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED
 LABORATORY
 Accreditation No. 73653

 Douglas Duncan
 Lab Director
 11/19/2020

 Musa Aman
 COA Review
 11/19/2020